$forecast_20100504170000Z_run001$

Metadata:

- <u>Identification_Information</u>
- Entity and Attribute Information
- Metadata Reference Information

Identification_Information:

Citation:

Citation_Information:

Originator: Beth Plale, Keith Brewster, Craig Mattocks, Ashish Bhangale, Eran C

Withana, Chathura Herath, Felix Terkhorn, Kavitha Chandrasekar

Publication_Date: 20100728

Title:

forecast 20100504170000Z run001

Geospatial_Data_Presentation_Form: raster digital data, NetCDF digital data, textual

digital data

Online_Linkage: http://dx.doi.org/10.5967/M0PN93H4

Online_Linkage: doi:10.5967/M0PN93H4

Description:

Abstract:

The Vortex2 project (http://www.vortex2.org/home/) supported 100 scientists using over 40 science support vehicles participated in a nomadic effort to understand tornados. For the six weeks from May 1st to June 15th, 2010, scientists went roaming from state-to-state following severe weather conditions. With the help of meteorologists in the field who initiated boundary conditions, LEAD II

(https://portal.leadproject.org/gridsphere/gridsphere) delivered six forecasts per day, starting at 7am CDT, creating up to 600 weather images per day. This information was used by the VORTEX2 field team and the command and control center at the University of Oklahoma to determine when and where tornadoes are most likely to occur and to help the storm chasers get to the right place at the right time. VORTEX2 used an unprecedented fleet of cutting edge instruments to literally surround tornadoes and the supercell thunderstorms that form them. An armada of mobile radars, including the Doppler On Wheels (DOW) from the Center for Severe Weather Research (CSWR), SMART-Radars from the University of Oklahoma, the NOXP radar from the National Severe Storms Laboratory (NSSL), radars from the University of Massachusetts, the Office of Naval Research and Texas Tech University (TTU), 12 mobile mesonet instrumented vehicles from NSSL and CSWR, 38 deployable instruments including Sticknets (TTU), Tornado-Pods (CSWR), 4 disdrometers (University of Colorado (CU)), weather balloon launching vans (NSSL, NCAR and SUNY-Oswego), unmanned aircraft (CU), damage survey teams (CSWR, Lyndon State College, NCAR), and photogrammetry teams (Lyndon State Univesity, CSWR and NCAR), and other instruments. This paricular

collection contains namelist.input, cape.zip, radar.zip, precip.zip, surface.zip, updraft helicity.zip, vorticity.zip, pressureLevels.zip, xsec.zip, and wrfout d01 2010-05-04 16 00 00.nc. namelist is configuration file of WRF. cape is short for Convective Available Potential Energy, a measure of the instability in an air mass. cape.zip is the visualization of cape and contains 24 png files. radar is Mix of radar minimum and radar maximum visualizations. radar.zip represents the mixed results of putting those two radar types together, radar zip is the visualization of vorticity and contains 9 png files, precip is short for Precipitation, the sum of the rain, snow and hail in given in liquid equivalent depth. precip.zip is the visualization of precip and contains 10 png files. surface is meteorological parameters on the earth's surface, or in a model on the first level above the ground. surface.zip is the visualization of surface and contains 11 png files. updraft_helicity is the dot product of the vertical velocity and the vertical vorticity. It is presented as a summation over a 3-km depth. updraft_helicity.zip is the visualization of updraft_helicity and contains 11 png files. vorticity is the localized rotation of the air. In model plots it is often the vertical component of vorticity, the rotation of the horizontal winds. vorticity.zip is the visualization of vorticity and contains 22 png files. pressureLevels is Atmospheric Pressure on different layers of the Atmospher. pressureLevels.zip is the visualization of pressureLevels and contains 44 png files. xsec is is the cross section. xsec.zip is the visualization of xsec and contains 36 png files. wrfout_d01_2010-05-04_16_00_00 is computational result of WRF.

Purpose:

This data was created to provide fine-grained, hourly forecasts for the Vortex2 scientists (see abstract for more details)

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 20100504 Time of Day: 170000

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None planned

Spatial_Domain:

Description_of_Geographic_Extent: Bounding_Coordinates:

West_Bounding_Coordinate: -96.9492 East_Bounding_Coordinate: -85.45079 North_Bounding_Coordinate: 48.38868 South_Bounding_Coordinate: 39.21132

Keywords:

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: cape

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* radar

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: precip

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* surface

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* updraft_helicity

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* vorticity

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* pressureLevels

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: xsec

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* wrfout

Place:

Place_Keyword_Thesaurus: none Place_Keyword: Shelby, WI, USA

Access_Constraints: None Use_Constraints:
None

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: grid Entity_Type_Definition:

forecast configuration. FORTRAN namelist parameters for configuring the grid size, grid spacing, and duration of the WRF forecast used to generate these files. These parameters are a small set that are used in multiple workflow stages of the forecast. Additional configuration is done through FORTRAN namelist files for each workflow stage.

Entity_Type_Definition_Source:

http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf

Attribute:

Attribute_Label: run_start_date
Attribute_Definition:
Wall clock start date
Attribute_Definition_Source:
 LEAD project -- http://pti.iu.edu/d2i/leadII-home
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 05/04/2010 Range_Domain_Maximum: 05/04/2010

Attribute:

Attribute_Label: ForecastHour

Attribute_Definition:
 the "duration" of the forecast

Attribute_Definition_Source:
 LEAD project -- http://pti.iu.edu/d2i/leadII-home

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 10
Range_Domain_Maximum: 10
Attribute Units of Measure: hours

Attribute:

Attribute_Label: ctrlat Attribute_Definition:

Center latitude coordinates of the target grid for the experiment. CTRLAT is

expressed in degrees north

Attribute_Definition_Source:
 http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf

Attribute Domain Values:

Range_Domain:

Range_Domain_Minimum: 43.8 Range_Domain_Maximum: 43.8

Attribute_Units_of_Measure: degrees north

Attribute:

Attribute_Label: dx

Attribute_Definition:
grid length in x direction, unit in meters

Attribute_Definition_Source:
http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf

Attribute Domain Values:

Range_Domain:

Range_Domain_Minimum: 4000
Range_Domain_Maximum: 4000
Attribute Units of Measure: meter

Attribute:

Attribute_Label: dy
Attribute_Definition:
 grid length in y direction, unit in meters
Attribute_Definition_Source:
 http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 4000 Range_Domain_Maximum: 4000 Attribute_Units_of_Measure: meter

Attribute:

Attribute_Label: forecast_start_date

Attribute_Definition:
 forecast starting date

Attribute_Definition_Source:
 LEAD project -- http://pti.iu.edu/d2i/leadII-home

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 05/04/2010

Attribute:

Attribute_Label: ctrlon Attribute_Definition:

Center longitude coordinates of the target grid for the experiment. CTRLON is expressed in degrees east

Attribute_Definition_Source:

http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf

Attribute Domain Values:

Range_Domain:

Range_Domain_Minimum: -91.2 Range_Domain_Maximum: -91.2

Attribute_Units_of_Measure: degrees east

Attribute:

Attribute_Label: run_start_time

Attribute_Definition:

Wall clock start time

Attribute_Definition_Source:

LEAD project -- http://pti.iu.edu/d2i/leadII-home

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 18:22:45 Range_Domain_Maximum: 18:22:45

Attribute Units of Measure: wall clock time

Attribute:

Attribute_Label: ny

Attribute_Definition:

Dimension size of WRF grid in Y direction

Attribute Definition Source:

http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf

Attribute Domain Values:

Range_Domain:

Range_Domain_Minimum: 203
Range Domain Maximum: 203

Attribute_Units_of_Measure: number of grid points

Attribute:

Attribute_Label: Forecast_start_hour

Attribute_Definition:

the logical start hour of the forecast

Attribute_Definition_Source:

LEAD project -- http://pti.iu.edu/d2i/leadII-home
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 17
Range_Domain_Maximum: 17
Attribute_Units_of_Measure: Z time

Attribute:

Attribute_Label: nx Attribute_Definition:

Dimension size of WRF grid in X direction

Attribute_Definition_Source:

http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 203
Range_Domain_Maximum: 203

Attribute_Units_of_Measure: number of grid points

Back to Top

 $Metadata_Reference_Information:$

Metadata_Date: 20110609 Metadata_Contact:

Contact Information:

Contact_Organization_Primary:

Contact_Organization: Data To Insight Center

Contact_Address:

Address_Type: mailing Address: 2719 E 10th st. City: Bloomington State_or_Province: IN Postal_Code: 47408

Contact_Voice_Telephone: (812)345-1065

Metadata Standard Name: FGDC Content Standard for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: universal time