forecast_20100614120000Z_run001

Metadata:

- Identification_Information
- Entity and Attribute Information
- Metadata Reference Information

Identification_Information:

Citation:

Citation_Information:

Originator: Beth Plale, Keith Brewster, Craig Mattocks, Ashish Bhangale, Eran C

Withana, Chathura Herath, Felix Terkhorn, Kavitha Chandrasekar

Publication_Date: 20100728

Title:

forecast 20100614120000Z run001

Geospatial_Data_Presentation_Form: raster digital data, NetCDF digital data, textual

digital data

Online_Linkage: http://dx.doi.org/10.5967/M0VX0DFV

Online_Linkage: doi:10.5967/M0VX0DFV

Description:

Abstract:

The Vortex2 project (http://www.vortex2.org/home/) supported 100 scientists using over 40 science support vehicles participated in a nomadic effort to understand tornados. For the six weeks from May 1st to June 15th, 2010, scientists went roaming from state-to-state following severe weather conditions. With the help of meteorologists in the field who initiated boundary conditions, LEAD II

(https://portal.leadproject.org/gridsphere/gridsphere) delivered six forecasts per day, starting at 7am CDT, creating up to 600 weather images per day. This information was used by the VORTEX2 field team and the command and control center at the University of Oklahoma to determine when and where tornadoes are most likely to occur and to help the storm chasers get to the right place at the right time. VORTEX2 used an unprecedented fleet of cutting edge instruments to literally surround tornadoes and the supercell thunderstorms that form them. An armada of mobile radars, including the Doppler On Wheels (DOW) from the Center for Severe Weather Research (CSWR), SMART-Radars from the University of Oklahoma, the NOXP radar from the National Severe Storms Laboratory (NSSL), radars from the University of Massachusetts, the Office of Naval Research and Texas Tech University (TTU), 12 mobile mesonet instrumented vehicles from NSSL and CSWR, 38 deployable instruments including Sticknets (TTU), Tornado-Pods (CSWR), 4 disdrometers (University of Colorado (CU)), weather balloon launching vans (NSSL, NCAR and SUNY-Oswego), unmanned aircraft (CU), damage survey teams (CSWR, Lyndon State College, NCAR), and photogrammetry teams (Lyndon State Univesity, CSWR and NCAR), and other instruments. This paricular

collection contains namelist.input, cape.zip, radar_zip, radar_max.zip, radar_min.zip, precip.zip, surface.zip, updraft helicity.zip, vorticity.zip, skewT.zip, xsec.zip, and wrfout d01 2010-06-14 11 00 00.nc. namelist is configuration file of WRF. cape is short for Convective Available Potential Energy, a measure of the instability in an air mass. cape.zip is the visualization of cape and contains 24 png files. radar is Mix of radar minimum and radar maximum visualizations. radar.zip represents the mixed results of putting those two radar types together, radar zip is the visualization of vorticity and contains 28 png files, radar max is Maximum Range and in some contexts this is the maximum value of radar reflectivity in a grid column, radar max, zip is the visualization of radar max and contains 14 png files. radar min is Minimum Range and in some contexts this is the minimum value of radar reflectivity in a grid column, radar min.zip is the visualization of radar_min and contains 14 png files. precip is short for Precipitation, the sum of the rain, snow and hail in given in liquid equivalent depth. precip.zip is the visualization of precip and contains 16 png files. surface is meteorological parameters on the earth's surface, or in a model on the first level above the ground. surface.zip is the visualization of surface and contains 16 png files, updraft helicity is the dot product of the vertical velocity and the vertical vorticity. It is presented as a summation over a 3-km depth. updraft helicity.zip is the visualization of updraft helicity and contains 16 png files. vorticity is the localized rotation of the air. In model plots it is often the vertical component of vorticity, the rotation of the horizontal winds. vorticity.zip is the visualization of vorticity and contains 32 png files. skewT offers an almost instantaneous snapshot of the atmosphere from the surface to about the 100 millibar level. In the skew-T the pressure lines are horizontal and the temperature lines are skewed from the vertical coordinate, xsec is is the cross section, xsec, zip is the visualization of xsec and contains 51 png files, wrfout d01 2010-06-14 11 00 00 is computational result of WRF.

Purpose:

This data was created to provide fine-grained, hourly forecasts for the Vortex2 scientists (see abstract for more details)

Supplemental_Information:

The input data for this forecast includes the following: Rapid Update Cycle (RUC) data downloaded from NOAA with a 13km resolution, for forecast date 20100614 at 06Z, with data for hourly offsets from 06 to 20. The file format for this input data is grib. The forecast is initialized based on ARPS Data Analysis System (ADAS) Real-time meteorological data assimilation netgrdbas files with CONUS coverage at 10km resolution produced hourly by CAPS at Oklahoma University that uses the netCDFfile format. The data is for 20100614 at 11Z.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 20100614 Time of Day: 120000

Currentness_Reference: ground condition

Status:

Progress: Complete
Maintenance and Update Frequency: None planned

Spatial_Domain:

Description_of_Geographic_Extent: Bounding_Coordinates:

West_Bounding_Coordinate: -107.5492 East_Bounding_Coordinate: -96.0508 North_Bounding_Coordinate: 38.28868 South_Bounding_Coordinate: 29.11132

Keywords:

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: cape

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* radar

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* radar_max

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* radar_min

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* precip

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: surface

Theme:

Theme_Keyword_Thesaurus: none *Theme_Keyword:* updraft_helicity

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: vorticity

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: skewT

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: xsec

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: wrfout

Place:

Place_Keyword_Thesaurus: none Place_Keyword: County Road 2600, Lubbock, TX 79403, USA

Access_Constraints: None Use_Constraints:
None

Back to Top

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: grid Entity_Type_Definition:

forecast configuration. FORTRAN namelist parameters for configuring the grid size, grid spacing, and duration of the WRF forecast used to generate these files. These parameters are a small set that are used in multiple workflow stages of the forecast. Additional configuration is done through FORTRAN namelist files for each workflow stage.

Entity_Type_Definition_Source:

http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf

Attribute:

Attribute_Label: run_start_date

Attribute Definition:

Wall clock start date

Attribute_Definition_Source:

LEAD project -- http://pti.iu.edu/d2i/leadII-home

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 06/14/2010

Attribute:

Attribute_Label: ForecastHour
Attribute_Definition:
 the "duration" of the forecast
Attribute_Definition_Source:
 LEAD project -- http://pti.iu.edu/d2i/leadII-home
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 15
Range_Domain_Maximum: 15
Attribute_Units_of_Measure: hours

Attribute:

Attribute_Label: ctrlat Attribute_Definition:

Center latitude coordinates of the target grid for the experiment. CTRLAT is expressed in degrees north

Attribute_Definition_Source:

Range_Domain:

Range_Domain_Minimum: 33.7
Range_Domain_Maximum: 33.7
Attribute_Units_of_Measure: degree

Attribute_Units_of_Measure: degrees north

Attribute:

Attribute_Label: dx
Attribute_Definition:
 grid length in x direction, unit in meters
Attribute_Definition_Source:
 http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 4000 Range_Domain_Maximum: 4000 Attribute_Units_of_Measure: meter

Attribute:

Attribute_Label: dy
Attribute_Definition:
grid length in y direction, unit in meters

```
Attribute_Definition_Source:
    http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf
Attribute_Domain_Values:
```

Range_Domain:

Range_Domain_Minimum: 4000
Range_Domain_Maximum: 4000
Attribute_Units_of_Measure: meter

Attribute:

Attribute_Label: forecast_start_date
Attribute_Definition:
 forecast starting date
Attribute_Definition_Source:
 LEAD project -- http://pti.iu.edu/d2i/leadII-home
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 06/14/2010 Range_Domain_Maximum: 06/14/2010

Attribute:

Attribute_Label: ctrlon Attribute_Definition:

Center longitude coordinates of the target grid for the experiment. CTRLON is expressed in degrees east

Attribute_Definition_Source:

Range_Domain:

Range_Domain_Minimum: -101.8
Range_Domain_Maximum: -101.8
Attribute_Units_of_Measure: degrees east

Attribute:

Attribute_Label: run_start_time
Attribute_Definition:
Wall clock start time
Attribute_Definition_Source:
 LEAD project -- http://pti.iu.edu/d2i/leadII-home
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 12:00:16 Range_Domain_Maximum: 12:00:16

Attribute_Units_of_Measure: wall clock time

Attribute:

Attribute Label: ny Attribute_Definition:

Dimension size of WRF grid in Y direction

Attribute_Definition_Source:

http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 203 Range_Domain_Maximum: 203

Attribute_Units_of_Measure: number of grid points

Attribute:

Attribute Label: Forecast start hour

Attribute_Definition:

the logical start hour of the forecast

Attribute_Definition_Source:

LEAD project -- http://pti.iu.edu/d2i/leadII-home

Attribute Domain Values:

Range_Domain:

Range_Domain_Minimum: 12 Range_Domain_Maximum: 12 Attribute_Units_of_Measure: Z time

Attribute:

Attribute_Label: nx Attribute_Definition:

Dimension size of WRF grid in X direction

Attribute_Definition_Source:

http://www.caps.ou.edu/ARPS/ARPS5DOC/arps2wrf.pdf

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 203 Range_Domain_Maximum: 203

Attribute_Units_of_Measure: number of grid points

Back to Top

Metadata_Reference_Information:

Metadata_Date: 20110609

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: Data To Insight Center

Contact_Address:

Address_Type: mailing Address: 2719 E 10th st. City: Bloomington State_or_Province: IN Postal_Code: 47408

Contact_Voice_Telephone: (812)345-1065

Metadata_Standard_Name: FGDC Content Standard for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: universal time

Back to Top