

PLATES FOR PAPER

ON THE

Stratigraphy and Paleontology

OF THE

NIAGARA OF NORTHERN INDIANA.

PLATE I.

	Page.
<i>Monomorella</i> sp.	
Fig. 1. A natural cast of the interior of a brachial valve, showing platform scar and diverging anterior ridges	428
Delphi.	
<i>Trimerella</i> sp.	
Fig. 2. A fragment of a natural cast of a brachial valve	429
Delphi.	
<i>Stropheodonta</i> cf. <i>corrugata</i> .	
Fig. 3. A pedicel valve	429
Georgetown.	
<i>Strophonella</i> cf. <i>striata</i> .	
Fig. 4. Interior of pedicel valve	430
Georgetown.	
<i>Orthothes</i> <i>subplanus</i> .	
Fig. 5. Interior of pedicel valve	432
Pendleton.	
<i>Strophonella williamsi</i> n. sp.	
Fig. 6. Natural cast of exterior of pedicel valve	430
Fig. 7. A portion of the original shell which produced the impression shown in Fig. 6.	
Georgetown.	
Fig. 11. Natural cast of interior of pedicel valve.	
Pendleton.	
<i>Dinobolus conradi</i> .	
Fig. 8. A natural cast of brachial valve	428
Huntington.	
<i>Crania</i> sp.	
Figs. 9-10. Two views of a natural cast of an upper valve	429
Pendleton.	

NOTE.—All figures are natural size unless otherwise indicated.











PLATE II.

	Page.
<i>Schizophoria sp.</i>	
Figs. 1-2. Pedicel and brachial views of a natural cast of fragmentary specimen Connor's Mill, Hamilton County.	
<i>Orthis flabellites.</i>	
Figs. 3-4. Two views of natural cast of interior of a pedicel valve Helm's Mill, Hamilton County.	432
Fig. 6. A natural cast of the pedicel valve of another individual. Wabash.	
Fig. 5. A cast of the interior of brachial valve. Pendleton.	
Fig. 11. Interior of a brachial valve. Hanging Rock, Wabash County.	
<i>Orthis (?) subnodosa.</i>	
Fig. 7. A pedicel valve Little Deer Creek, Carroll County.	433
<i>Rhipidomella hybrida.</i>	
Fig. 8. A natural cast of the interior of brachial valve Big Monon Creek, White County.	433
<i>Dalmanella elegantula.</i>	
Fig. 9. A cardinal view Little Deer Creek, Carroll County.	433
<i>Anastrophia internascens</i>	
Fig. 10. A brachial valve Wabash.	434
<i>Chonetes cf. cornutus.</i>	
Fig. 12. A pedicel valve Logansport.	432
<i>Pholidostrophia niagarensis n. sp.</i>	
Figs. 13-14. Two views of pedicel valve of type	430
Fig. 15. Pedicel valve of another individual.	
<i>Rhipidomella circulus?</i>	
Fig. 16. Exterior of partially exfoliated valve Georgetown.	434
<i>Leptaena rhomboidalis.</i>	
Fig. 17. Exterior of an incomplete pedicel valve Georgetown.	431
<i>Gypidula (Sieberella) nucleus.</i>	
Figs. 18-19. Ventral and profile views of a pedicel valve. The anterior and lateral margin of the specimen is represented by a line much too straight and regular in Fig. 19	438
<i>Gypidula (Sieberella) galeatus.</i>	
Fig. 20. A natural cast of the interior of a brachial valve	437
Fig. 21. A natural cast of a pedicel valve. Wabash.	
<i>Plectambonites cf. sericeus.</i>	
Fig. 22. Interior cast of a pedicel valve Connor's Mill, Hamilton County.	431
<i>Gypidula (Sieberella) galeatus.</i>	
Fig. 23. A ventral view of a pedicel valve Georgetown.	437
Figs. 24-29. Ventral and lateral views of three pedicel valves. In Figs. 25, 27 and 29 the margin of the valve bends upward toward the beak, near the hinge, more than the drawings indicate. Georgetown.	




PLATE III.

	Page.
<i>Conchidium laqueatum.</i>	
Figs. 1-2. Lateral and brachial views of a gibbous var..... Delphi.	434
<i>Conchidium cf. littoni.</i>	
Fig. 3. Cardinal view of a pedicel valve..... Georgetown.	435
Figs. 4-6. Lateral front and cardinal views of one individual. Georgetown.	









PLATE IV.


	<i>Conchidium cf. littoni.</i>	Page.
Fig. 1. A pedicel valve.....		435
Georgetown.		
Figs. 2, 4. Side and front views of another individual.		
 <i>Conchidium laqueatum.</i>		
Fig. 3. Umbonal region of pedicel valve showing spondylium.....		434
Delphi.		
 <i>Conchidium sp. undt.</i>		
Figs. 5-6. Brachial and side views of the same individual.....		




1




5




2



3



4



6

PLATE V.

	Page.
<i>Conchidium trilobatum</i> n. sp.	
Fig. 1. Brachial valve of the type.....	436
Fig. 2. Cardinal view of the same.	
Fig. 3. Pedicel valve of another individual, Huntington.	
<i>Conchidium cf. littoni</i> .	
Figs. 4-5. Pedicel valves from Georgetown	435








PLATE VI.

	Page.
<i>Conchidium laqueatum.</i>	
Figs. 1-2. Pedicel valves of typical specimens..... Delphi.	434
<i>Conchidium cf. multicostratum.</i>	
Fig. 3. A pedicel valve..... Connor's Mill, Hamilton county.	435
<i>Conchidium unguiformis.</i>	
Figs. 4-5. Two views of a brachial valve..... Little Deer Creek, Carroll county.	436
<i>Pentamerus oblongus var. cylindricus.</i>	
Fig. 6. A cross-section of a silicified specimen anterior to the beak of brachial valve $\frac{1}{2}$ inch, showing the shape of the spondilium in each valve. The bands parallel with the spondilia and margin of the shell and the figure enclosed by the spondilia are due to a peculiarity of silicification..... Section by Dr. G. R. Wieland. New Holsteine, Wisconsin.	436
Fig. 7. Anterior view of a wax impression. Delphi.	
Figs. 8-10. Brachial, front, and lateral views of a small, incomplete indi- vidual. Delphi.	



1



2




3




4



5





6



7




8




10

PLATE VII.


	Page.
<i>Pentamerus oblongus var. compressa n. var.</i>	
Figs. 1-2. Lateral and anterior views of wax cast.	437
Fig. 3. A cardinal view of wax cast of the type.	
Figs. 4-5. Anterior views of wax impressions of two individuals. Delphi.	
<i>Pentamerus oblongus var. cylindricus.</i>	
Fig. 6. Anterior view of a wax impression.	436
Delphi.	




1




2




3



4



5



6

PLATE VIII.

	Page.
<i>Camartoechia cf. acinus.</i>	
Figs. 1-2. Anterior and brachial views of the same individual	439
Helm's Mill, Hamilton County.	
<i>Camartoechia sp. undt.</i>	
Fig. 3. An incomplete brachial valve	439
Little Deer Creek, Carroll County.	
<i>Wilsonia saffordi.</i>	
Figs. 4-6. Pedicel, lateral and front views of the same individual	439
Georgetown.	
Figs. 7-9. Anterior, lateral and pedicel views of a less gibbous specimen.	
Georgetown.	
<i>Etonia goodlandensis n. sp.</i>	
Figs. 10-12. Pedicel, brachial and anterior views of type specimen.	439
Goodland.	
<i>Atrypa calvini.</i>	
Figs. 13-15. Three views of same individual	440
<i>Atrypa reticularis.</i>	
Fig. 16. A brachial valve	440
Georgetown.	
Fig. 17. A brachial valve with <i>Spirorbis sp.</i>	
Pendleton.	
Fig. 18. Lateral view of wax cast of an incomplete individual.	
Pendleton.	
<i>Spirifer radiatus.</i>	
Fig. 19. Brachial valve of a somewhat distorted specimen.	442
Fishersburg.	
Fig. 20. A pedicel valve.	
Georgetown.	
Fig. 21. Cardinal view of a natural cast.	
Pendleton.	
Fig. 22. A brachial valve.	
Helm's Mill, Hamilton County.	
Fig. 23. An incomplete brachial valve of the plicate variety.	
Wabash.	
<i>Spirifer foggi.</i>	
Figs. 24-25. Brachial and pedicel views of the same individual	441
Georgetown.	
<i>Spirifer (Reticularia) crispa var. simplex.</i>	
Fig. 26. A brachial valve of an incomplete specimen.	442
Helm's Mill.	
<i>Spirifer (Reticularia) crispa var. simplex.</i>	
Figs. 27-28. Brachial and cardinal views of an individual from Helm's Mill,	
Hamilton County.	
	442
<i>Nucleospira pisiformis.</i>	
Fig. 29. Natural cast of the interior of the pedicel valve.	444
Pendleton.	




PLATE IX.

	Page.
	<i>Spirifer cf. nobilis.</i>
Fig. 1. A pedicel valve	441
Georgetown.	
	<i>Spirifer nobilis.</i>
Figs. 2-3. Brachial and cardinal views of a natural cast	441
Connor's Mill, Hamilton County.	
Figs. 4-5. Brachial and cardinal views of an incomplete individual.	
	<i>Reticularia proxima n. sp.</i>
Figs. 6-8. Three views of the type	443
Fishersburg, Hamilton County.	
	<i>Reticularia sp. undt.</i>
Fig. 9. A natural cast of a pedicel valve	443
Pendleton.	
	<i>Cyrtia myrtia.</i>
Figs. 10-11. Cardinal and anterior views of an incomplete individual	443
Georgetown.	
	<i>Cyrtia cf. myrtia.</i>
Fig. 12. Showing reticulation of valves and septæ	443
Louisville, Ky.	
	<i>Whitfieldella nitida.</i>
Figs. 13-14. Brachial and pedicel views of a specimen from Georgetown....	444
	<i>Whitfieldella sp. undt.</i>
Figs. 15-17. Brachial, pedicel and lateral views of an individual	
Georgetown.	
	<i>Anoplothea congregata n. sp.</i>
Figs. 18-20. Brachial, pedicel and lateral views of the type specimen	444
Logansport.	
	<i>Meristina rectirostris.</i>
Figs. 21-22. Brachial and lateral views of an individual	445
Figs. 23-24. Brachial and lateral views of another individual.	
Little Deer Creek, Carroll County.	
	<i>Meristina cf. princeps.</i>
Fig. 25. A brachial view of a partially exfoliated specimen. The striae are rather less distinct than the figure indicates	445
Georgetown.	
	<i>Meristina sp. undt.</i>
Figs. 26-28. Brachial, pedicel and lateral views of a specimen from George- town	
	<i>Meristina maria.</i>
Figs. 29-30. Anterior and brachial views of an individual	445
Figs. 31-32. Two views of another specimen.	
Georgetown.	




PLATE X.

	<i>Tellinomya cf. nasuta.</i>	Page.
Fig. 1.	Natural cast of left valve Kentland.	446
	<i>Conocardium oweni n. sp.</i>	
Fig. 2.	A right valve Little Deer Creek, Carroll County.	450
	<i>Conocardium cf. oweni.</i>	
Fig. 3.	A natural mould of left valve Connor's Mill, Hamilton County.	450
	<i>Conocardium multistriatum n. sp.</i>	
Fig. 4.	A left valve..... Georgetown.	449
	<i>Anodontopsis wabashensis n. sp.</i>	
Figs. 5-7.	Right and left valves..... Wabash.	453
	<i>Pterinea sp.</i>	
Fig. 8.	A left valve Delphi.	448
	<i>Plethomytelus cuneatus n. sp.</i>	
Fig. 9.	A natural cast of left valve Wabash.	451
	<i>Amphicoelia neglecta.</i>	
Fig. 10.	Showing a portion of a left valve Wabash.	449
	<i>Streptomytilus wabashensis n. sp.</i>	
Fig. 11.	A left valve.....	452
Fig. 12.	A profile view of the same. Wabash.	
	<i>Paleopinna sp.</i>	
Fig. 13.	A portion of a left valve. Wabash.	449
	<i>Cypricardinia sp.</i>	
Fig. 14.	A wax impression of portion of left valve..... Wabash.	448
	<i>Whitella (?) siluriana n. sp.</i>	
Fig. 15.	Right valve of type Wabash.	447







PLATE XI.

	Page.
<i>Trematonotus chicagoensis.</i>	
Fig. 1. The outer volution and lip of a large individual	
Fig. 2. Side view of the same. Delphi.	
Fig. 5. Profile view of a natural mould of the umbilicus and margin of lip. Huntington.	
<i>Bucania sp. undt.</i>	
Fig. 3. A dorsal view	455
Georgetown.	
<i>Pleurotomaria laphami.</i>	
Fig. 4. Lateral view of an incomplete specimen	455
Delphi.	
<i>Oriostoma (?) operculum.</i>	
Fig. 6. A natural cast of the inner surface of an operculum	464






PLATE XII.


	Page.
<i>Trematonotus chicagoensis.</i>	
Fig. 1. A natural mould of a portion of outer and inner whorls..... Delphi.	
Fig. 2. Lateral view of a cast of an incomplete specimen. Delphi.	
<i>Schizolopha sp. undt.</i>	
Fig. 3. A lateral view of a specimen. (The transverse striae rise at rather rather too high an angle in the figure.).....	466
Delphi.	
<i>Pleurotomaria cf. axion.</i>	
Fig. 4. A view of a wax cast from Huntington.....	457
<i>Pleurotomaria pauper.</i>	
Fig. 5. A specimen from Huntington.....	456
<i>Pleurotomaria (?) idia.</i>	
Fig. 6. A view of a natural cast.....	455
Huntington.	




1



2




4



3



5



6

PLATE XIII.

	Page.
<i>Pleurotomaria eloroidea n. sp.</i>	
Fig. 1. A natural mould of the exterior.....	457
Fig. 2. A side view of a wax impression of the same. Huntington.	
<i>Cyclonema elevata.</i>	
Fig. 3. View of an incomplete natural cast.....	468
Huntington.	
<i>Murchisonia bivittata.</i>	
Fig. 4. A natural cast of an incomplete specimen.....	462
Huntington.	
<i>Cyclonema elevata.</i>	
Fig. 5. A lateral view of an incomplete specimen.....	468
Huntington.	
<i>Enomphalopterus alatus var. americanus n. var.</i>	
Fig. 6. View of specimen X twice	459
Little Deer Creek, Carroll County.	
<i>Murchisonia laphami.</i>	
Fig. 7. A wax cast of an incomplete specimen.....	461
Huntington.	
<i>Holopea sp.</i>	
Fig. 8. View of a wax cast	
Huntington.	
<i>Platyceras (Diaphrostoma) cornutum.</i>	
Figs. 9-16. A series showing different types referred to this species.....	453
Fig. 9. A wax cast of specimen from Connor's Mill, Hamilton County.	
Figs. 10-11. Specimens from Wabash and Pendleton.	
Fig. 12. A large individual from Helm's Mill, Hamilton County.	
Figs. 13-14. Two views of a specimen from Georgetown.	
Figs. 15-16. Two views of a specimen showing lamellose lines of growth. Georgetown.	














PLATE XIV.



	Page.
<i>Oriostoma sp. undt.</i>	
Figs. 1-2. Two views of a wax impression Huntington.	466
<i>Pleurotomaria cf. eloroidea n. sp.</i>	
Fig. 3. A wax cast of an incomplete specimen Huntington.	459
<i>Euomphalopterus alata var. limotoidea n. var.</i>	
Fig. 4. A specimen partially preserving the surface markings Delphi.	461
<i>Cyclonema cancellata.</i>	
Figs. 5-6. Two views of an individual X 3 Georgetown.	467
<i>Oriostoma plana n. sp.</i>	
Fig. 7. An incomplete individual showing surface markings	465
Fig. 8. A view of another specimen. Georgetown.	
<i>Oriostoma huntingtonensis var. alternatum n. var.</i>	
Fig. 9. A fragmentary specimen Huntington.	465
<i>Oriostoma (?) opercula.</i>	
Fig. 10. A lateral view of a wax impression	464
Fig. 11. A view of the natural mould of which Fig. 10 is the impression.	
Figs. 12-13. Lateral and upper views of a wax cast of a large specimen. Huntington.	
<i>Oriostoma huntingtonensis n. sp.</i>	
Figs. 14-15. Lateral and basal views of a specimen Huntington.	463




12



13



14




15

PLATE XV.

Trimoceras gilberti n. sp.

Page.

Fig. 1. Lateral view of the type specimen	475
Huntington.	




1

PLATE XVI.

Lituites (Ophidioceras?) hercules var. carrollensis n. var.

Page.

Fig. 1. Lateral view of type specimen 474
Delphi.



1

PLATE XVII.

	Page.
<i>Lituites (Ophidioceras?) hercules var. carrollensis n. var.</i>	
Fig. 1. Ventral view of type specimen; two-thirds natural size.....	474
Delphi.	




PLATE XVIII.

Phragmoceras angustum.

Page.

Fig. 1. A lateral view of a large individual; two-thirds natural size..... 477
Grant County.




PLATE XIX.

Orthoceras medulare.

Page.

Fig. 1. A fragment of a natural cast of a mature individual 469

Fig. 2. A transverse section of the same individual, showing position of
siphuncle.
Delphi.

Orthoceras (Dawsonoceras) cf. annulatum.

Fig. 3. A fragment of a natural cast of the interior of a specimen 472

Fig. 4. A septum of the same individual.

Phragmoceras ellipticum.

Fig. 5. A lateral view of a large fragment of a natural cast, showing a
part of the body chamber and septæ..... 477
Huntington.








PLATE XX.

	Page.
<i>Orthoceras (Kinoceras) delphiensis n. sp.</i>	
Fig. 1. A large fragment.....	470
Fig. 2. A transverse section of the same individual, showing position of the siphuncle. Delphi.	
<i>Gomphoceras wabashensis.</i>	
Fig. 3. A lateral view of an individual from Delphi.....	476
Fig. 4. A transverse section of another specimen, showing position of siphuncle. Delphi.	







PLATE XXI.

	Page.
<i>Orthoceras (Kinoceras) orus.</i>	
Fig. 1. A fragment of a large specimen. Wabash.	469
<i>Orthoceras (Kinoceras) kentlandensis n. sp.</i>	
Fig. 2. View of the type specimen Kentland.	470
<i>Orthoceras (Kinoceras) angulatum.</i>	
Fig. 3. A large fragment. Anderson.	472
<i>Lituïtes marshii.</i>	
Fig. 4. Lateral view of a specimen. Wabash.	473








PLATE XXII.


	<i>Illænus insignis</i> Hall.	Page.
Fig. 1.	A pygidium Delphi.	479
Fig. 2.	A cranidium. Connor's Mill, Hamilton County.	
Fig. 3.	A cranidium. Huntington.	
Fig. 4.	An average sized pygidium Connor's Mill.	
Fig. 5.	A small pygidium. Georgetown.	
	<i>Illænus armatus</i> Hall	
Fig. 6.	A pygidium Georgetown.	479
	<i>Illænus ioxus</i> Hall.	
Fig. 7.	A pygidium Fishersburg.	480
	<i>Sphaerexochus romingeri</i> Hall.	
Fig. 8.	A large, somewhat flattened glabella, oriented to show anterior margin, which is slightly distorted by pressure..... Connor's Mill.	
Fig. 9.	Side view of above, showing the fixed cheeks.	
Fig. 12.	Dorsal view of a specimen from Wabash.	
Fig. 13.	Lateral view of the same to show the fixed cheeks.	
Fig. 14.	View of a natural mould of a pygidium. Connor's Mill.	
Fig. 15.	Natural cast of another pygidium from Connor's Mill.	
	<i>Illænus sp. undt.</i>	
Fig. 10.	Top view of a pygidium Huntington.	
Fig. 11.	Lateral view of the same.	




1




10




2




6




11




3




7



12



4




8




13



5



9




14



15

PLATE XXIII.

- Ceraurus (Crotalocephalus) niagarensis.* Page.
- Fig. 1. Glabella and portion of free cheeks of large individual.....
Marion, Ind.
- Fig. 2. Hypostmoia, supposed to belong to this species.
Wauwatosa. Wis.
- Iltaenus ioxus.*
- Fig. 3. Glabella of a large individual..... 480
Big Creek, Jefferson County; (Southern Indiana).
- Dalmanites (Synphoria) vigilans.*
- Fig. 4. A portion of a cephalon.....
Pendleton.
- Figs. 5-6. A glabella and pygidium from Waldron shale.
Waldron.
- Fig. 7. Eye of Fig. 6. (X 3.)




1




2



7



3



4



5



6

PLATE XXIV.

	Page.
<i>Calymene cf. vogdesi</i> Foerste.	
Fig. 1. Entire individual.....	482
Georgetown.	
Figs. 2-6. Views of a series of cranidia.	
Connor's Mill.	
Fig. 7. Posterior view, showing pygidium and three or four segments of the thorax.	
Georgetown.	
<i>Ceraurus (Crotalocephalus) niagarensis</i> Hall.	
Fig. 8. Cranidium.....	
Connor's Mill, Hamilton County.	
<i>Phacops cf. pulchellus</i> Foerste.	
Fig. 9. A cephalon.....	
Pendleton.	
Fig. 10. A large cephalon, apparently slightly flattened by pressure.	
Fig. 11. A cephalon.	
Connor's Mill, Hamilton County.	
Fig. 12. View of a pygidium.	
Connor's Mill.	
<i>Ceratocephala goniata</i> Warder.	
Fig. 13. A cephalon.....	480
Pendleton.	
<i>Encrinurus indianensis n. sp.</i>	
Fig. 14. An imperfect cephalon	482
Connor's Mill.	
Fig. 15. Pygidium, type of the species.	
Connor's Mill.	
<i>Odontopleura ortonii</i> Foerste.	
Fig. 16. Dorsal view.....	481
Georgetown.	
Fig. 17. A front profile view of cephalon of above.	
Fig. 18. View of natural mould of above.	
Fig. 19. View of natural cast of pygidium from	
Pendleton.	
<i>Dalmanites (Synphoria) vigilans</i> Hall.	
Fig. 20. Showing a part of a pygidium.....	
Anderson.	















PLATE XXV.


	Page.
<i>Lituites (Ophidioceras) bickmoreanus.</i>	
Fig. 1. Dorsal view of a fragment. The annulations, though less distinct, should unite in the middle of the figure.....	473 Huntington.
<i>Orthoceras (Kinoceras) orus.</i>	
Fig. 2. A portion of shell showing outer chamber.....	469
<i>Phragmoceras parvum.</i>	
Fig. 3. View showing a portion of the aperture of a fragmentary specimen of the living chamber.....	
Fig. 4. A lateral view of the same. Huntington.	




1



3



4



2

